Product data sheet

Specifications

APC UPS Network Management Card 3 with Environmental Monitoring

AP9641

Overview

Lead Time	Usually in Stock

Main

Product Or Component Type	UPS network management cards
Provided Equipment	Temperature sensor User manual USB cable

Physical

Height	1.50 in (3.8 cm)
Width	4.76 in (12.1 cm)
Depth	4.49 in (11.4 cm)
Net Weight	0.20 lb(US) (0.09 kg)
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Conformance

Standards	EN 55022 class A EN 55024 ICES-003
Product Certifications	AS/NZS 3548 (C-Tick) class A FCC part 15 class A GOST VCCI class A

Environmental

Ambient Air Temperature For Operation	32…113 °F (0…45 °C)
Operating Altitude	0...10000 ft
Relative Humidity	0…95 %
Ambient Air Temperature For Storage	23…113 °F (-5…45 °C)
Storage Altitude	0…50000 ft (0.00…15240.00 m)
Storage Relative Humidity	0…95 %

Communications & Management

Authentication	Radius

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.05 in (5.200 cm)
Package 1 Width	6.46 in (16.400 cm)
Package 1 Length	9.45 in (24.000 cm)
Package 1 Weight	14.29 oz (405.000 g)

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >

Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

Energy Efficient Product

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile