

Product data sheet

Specifications

NetBotz Rack Monitor 750

NBRK0750



Overview

Presentation The NetBotz Rack Monitor 750 provides integrated surveillance, sensing, access control, and advanced alerting for IT environments of all sizes, from single-rack edge networks to large data centers.

Lead Time Usually in Stock

Main

Product Or Component Type Industrial rack PC

Range Of Product Netbotz

Number Of Rack Unit 1U

Communication Port Protocol A-Link
DHCP
HTTPS
IPv4
SNMP v1
SNMP v3
SSH v2
TCP/IP

Provided Equipment Rack mounting brackets
Temperature/humidity sensor
USB cable

Product Compatibility Rack sensor pod 150
Room sensor pod 155

General

Camera Frame Rate Up to 30 fps

Display Resolution Up to 1280x1024

Universal Sensor Supported 0-5V
Door contact
Dry contact
Humidity
Smoke
Fluid spot leak
Temperature
Vibration

Number Of Universal Sensor Ports 6

Number Of Sensor Pods Supported 12

Number Of Universal Sensors Supported 78

Number Of Supported Camera 4

Physical

Colour Black

Height	1.69 in (4.3 cm)
Width	17.01 in (43.2 cm)
Depth	7.01 in (17.8 cm)
Net Weight	5.40 lb(US) (2.45 kg)
Mounting Location	Front Rear
Mounting Preference	No preference
Mounting Mode	Rack-mounted
Mounting Position	Horizontal

Conformance

Standards	CSA C22.2 No. 60950-1-03 FCC part 15 class A ICES-003 UL 60950-1
Product Certifications	2014/30/EU AS/NZS 3548 (C-Tick) class A CE EMC directive 2004/108/EC VCCI class A

Environmental

Ambient Air Temperature For Operation	32...104 °F (0...40 °C)
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	5...149 °F (-15...65 °C)
Storage Altitude	0...50000 ft (0.00...15240.00 m)
Storage Relative Humidity	0...95 %

Communications & Management

Communication Network Type	RJ45 10/100/1000 Base-T
-----------------------------------	-------------------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.76 in (12.1 cm)
Package 1 Width	12.52 in (31.8 cm)
Package 1 Length	20.98 in (53.3 cm)
Package 1 Weight	9.19 lb(US) (4.17 kg)

Contractual warranty



Warranty	2 years
-----------------	---------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)

Well-being performance

 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins